

# eBird Field Checklist

## Macaw Lodge

, San José, CR

[ebird.org/hotspot/L3650798](http://ebird.org/hotspot/L3650798)

289 species (+4 other taxa) - Year-round, Current year

Date: \_\_\_\_\_

Start time: \_\_\_\_\_

Duration: \_\_\_\_\_

Distance: \_\_\_\_\_

Party size: \_\_\_\_\_

Notes: \_\_\_\_\_

This checklist is generated with data from eBird ([ebird.org](http://ebird.org)), a global database of bird sightings from birders like you. If you enjoy this checklist, please consider contributing your sightings to eBird. It is 100% free to take part, and your observations will help support birders, researchers, and conservationists worldwide.

Go to [ebird.org](http://ebird.org) to learn more!

### Tinamous

\_\_\_ Great Tinamou *Tinamus major*

\_\_\_ Little Tinamou *Crypturellus soui*

### Waterfowl

\_\_\_ Black-bellied Whistling-Duck

*Dendrocygna autumnalis*

\_\_\_ Muscovy Duck *Cairina moschata*

\_\_\_ Blue-winged Teal *Spatula discors*

\_\_\_ Lesser Scaup *Aythya affinis*

### Chachalacas, Guans, and Curassows

\_\_\_ Crested Guan *Penelope*

*purpurascens*

\_\_\_ Great Curassow *Crax rubra*

\_\_\_ Gray-headed Chachalaca *Ortalis*

*cinereiceps*

### Grouse, Quail, and Allies

\_\_\_ Marbled Wood-Quail *Odontophorus*

*gujanensis*

### Pigeons and Doves

\_\_\_ Pale-vented Pigeon *Patagioenas*

*cayennensis*

\_\_\_ Red-billed Pigeon *Patagioenas*

*flavirostris*

\_\_\_ Short-billed Pigeon *Patagioenas*

*nigrirostris*

\_\_\_ Patagioenas sp. *Patagioenas* sp.

\_\_\_ Eurasian Collared-Dove *Streptopelia*

*decaocto*

\_\_\_ Inca Dove *Columbina inca*

\_\_\_ Common Ground Dove *Columbina*

*passerina*

\_\_\_ Ruddy Ground Dove *Columbina*

*talpacoti*

\_\_\_ Blue Ground Dove *Claravis pretiosa*

\_\_\_ Ruddy Quail-Dove *Geotrygon*

*montana*

\_\_\_ White-tipped Dove *Leptotila verreauxi*

\_\_\_ Gray-chested Dove *Leptotila cassinii*

\_\_\_ White-winged Dove *Zenaida asiatica*

### Cuckoos

\_\_\_ Groove-billed Ani *Crotophaga*

*sulcirostris*

\_\_\_ Common Squirrel-Cuckoo *Piaya*

*cayana*

### Nightjars

\_\_\_ Common Pauraque *Nyctidromus*

*albicollis*

### Potoos and Oilbird

\_\_\_ Common Potoo *Nyctibius griseus*

### Swifts

\_\_\_ Chestnut-collared Swift

*Streptoprocne rutila*

\_\_\_ White-collared Swift *Streptoprocne*

*zonaris*

\_\_\_ Costa Rican Swift *Chaetura fumosa*

Vaux's Swift *Chaetura vauxi*

\_\_\_ Lesser Swallow-tailed Swift *Panyptila*

*cayennensis*

\_\_\_ swift sp. *Apodidae* sp.

### Hummingbirds

\_\_\_ White-necked Jacobin *Florisuga*

*mellivora*

\_\_\_ Band-tailed Barbthroat *Threnetes*

*ruckeri*

\_\_\_ Green Hermit *Phaethornis guy*

\_\_\_ Long-billed Hermit *Phaethornis*

*longirostris*

\_\_\_ Stripe-throated Hermit *Phaethornis*

*striigularis*

\_\_\_ Purple-crowned Fairy *Heliophryx*

*barroti*

\_\_\_ White-crested Coquette *Lophornis*

*adorabilis*

\_\_\_ Long-billed Starthroat *Helimaster*

*longirostris*

\_\_\_ Plain-capped Starthroat *Helimaster*

*constantii*

\_\_\_ Violet Sabrewing *Campylopterus*

*hemileucurus*

\_\_\_ Crowned Woodnymph *Thalurania*

*colombica*

\_\_\_ Scaly-breasted Hummingbird

*Phaeochroa cuvierii*

\_\_\_ Blue-vented Hummingbird

*Saucerottia hoffmanni*

\_\_\_ Rufous-tailed Hummingbird *Amazilia*

*tzacatl*

\_\_\_ Charming Hummingbird *Polyerata*

*decora*

\_\_\_ Blue-throated Goldentail *Chlorestes*

*eliciae*

**Rails, Gallinules, and Allies**

- \_\_\_ Uniform Crake *Amaurolimnas concolor*
- \_\_\_ Rufous-necked Wood-Rail *Aramides axillaris*
- \_\_\_ Gray-cowled Wood-Rail *Aramides cajaneus*
- \_\_\_ Russet-naped/Gray-cowled Wood-Rail *Aramides albiventris/cajaneus*
- \_\_\_ Purple Gallinule *Porphyrio martinica*
- \_\_\_ White-throated Crake *Laterallus albigularis*

**Shorebirds**

- \_\_\_ Double-striped Thick-knee *Hesperoburhinus bistratus*
- \_\_\_ Black-necked Stilt *Himantopus mexicanus*
- \_\_\_ Northern Jacana *Jacana spinosa*
- \_\_\_ Spotted Sandpiper *Actitis macularius*
- \_\_\_ Willet *Tringa semipalmata*
- \_\_\_ Ruddy Turnstone *Arenaria interpres*
- \_\_\_ Least Sandpiper *Calidris minutilla*
- \_\_\_ Western Sandpiper *Calidris mauri*

**Gulls, Terns, and Skimmers**

- \_\_\_ Laughing Gull *Leucophaeus atricilla*
- \_\_\_ Royal Tern *Thalasseus maximus*

**Grebes**

- \_\_\_ Least Grebe *Tachybaptus dominicus*

**Sunbittern**

- \_\_\_ Sunbittern *Eurypyga helias*

**Storks**

- \_\_\_ Wood Stork *Mycteria americana*

**Frigatebirds, Boobies, and Gannets**

- \_\_\_ Magnificent Frigatebird *Fregata magnificens*

**Cormorants and Anhingas**

- \_\_\_ Anhinga *Anhinga anhinga*

**Hérons, Ibis, and Allies**

- \_\_\_ White Ibis *Eudocimus albus*
- \_\_\_ Glossy Ibis *Plegadis falcinellus*
- \_\_\_ Green Ibis *Mesembrinibis cayennensis*
- \_\_\_ Roseate Spoonbill *Platalea ajaja*
- \_\_\_ Bare-throated Tiger-Heron *Tigrisoma mexicanum*
- \_\_\_ Fasciated Tiger-Heron *Tigrisoma fasciatum*
- \_\_\_ Boat-billed Heron *Cochlearius cochlearius*
- \_\_\_ Agami Heron *Agamia agami*
- \_\_\_ Pinnated Bittern *Botaurus pinnatus*
- \_\_\_ Yellow-crowned Night Heron *Nyctanassa violacea*
- \_\_\_ Black-crowned Night Heron *Nycticorax nycticorax*
- \_\_\_ Little Blue Heron *Egretta caerulea*
- \_\_\_ Reddish Egret *Egretta rufescens*
- \_\_\_ Green Heron *Butorides virescens*
- \_\_\_ Western Cattle-Egret *Ardea ibis*
- \_\_\_ Great Egret *Ardea alba*
- \_\_\_ Great Blue Heron *Ardea herodias*

**Pelicans**

- \_\_\_ Brown Pelican *Pelecanus occidentalis*

**Vultures, Hawks, and Allies**

- \_\_\_ King Vulture *Sarcoramphus papa*
- \_\_\_ Black Vulture *Coragyps atratus*
- \_\_\_ Turkey Vulture *Cathartes aura*
- \_\_\_ Hook-billed Kite *Chondrohierax uncinatus*
- \_\_\_ Gray-headed Kite *Leptodon cayanensis*
- \_\_\_ Swallow-tailed Kite *Elanoides forficatus*
- \_\_\_ Black Hawk-Eagle *Spizaetus tyrannus*
- \_\_\_ Double-toothed Kite *Harpagus bidentatus*
- \_\_\_ Snail Kite *Rostrhamus sociabilis*

- \_\_\_ Common Black Hawk *Buteogallus anthracinus*
- \_\_\_ Roadside Hawk *Rupornis magnirostris*
- \_\_\_ Gray Hawk *Buteo plagiatus*
- \_\_\_ Broad-winged Hawk *Buteo platypterus*
- \_\_\_ Zone-tailed Hawk *Buteo albonotatus*
- \_\_\_ Short-tailed Hawk *Buteo brachyurus*

**Owls**

- \_\_\_ Spectacled Owl *Pulsatrix perspicillata*
- \_\_\_ Mottled Owl *Strix virgata*

**Trogons and Quetzals**

- \_\_\_ Slaty-tailed Trogon *Trogon massena*
- \_\_\_ Black-headed Trogon *Trogon melanocephalus*
- \_\_\_ Baird's Trogon *Trogon bairdii*
- \_\_\_ Gartered Violaceous Trogon *Trogon caligatus*
- \_\_\_ Graceful Black-throated Trogon *Trogon tenellus*

**Motmots**

- \_\_\_ Lesson's Motmot *Momotus lessonii*
- \_\_\_ Turquoise-browed Motmot *Eumomota superciliosa*

**Kingfishers**

- \_\_\_ Ringed Kingfisher *Megaceryle torquata*
- \_\_\_ Amazon Kingfisher *Chloroceryle amazona*
- \_\_\_ American Pygmy Kingfisher *Chloroceryle aenea*
- \_\_\_ Green Kingfisher *Chloroceryle americana*

**Puffbirds and Jacamars**

- \_\_\_ White-necked Puffbird *Notharchus hyperhynchus*
- \_\_\_ White-whiskered Puffbird *Malacoptila panamensis*
- \_\_\_ Rufous-tailed Jacamar *Galbula ruficauda*

**Barbets and Toucans**

- \_\_\_ Fiery-billed Aracari *Pteroglossus frantzii*
- \_\_\_ Yellow-throated Toucan *Ramphastus ambiguus*

This field checklist was generated using eBird (ebird.org)

\_\_\_ Keel-billed Toucan *Ramphastos sulfuratus*

### Woodpeckers

\_\_\_ Golden-naped Woodpecker *Melanerpes chrysauchen*

\_\_\_ Red-crowned Woodpecker *Melanerpes rubricapillus*

\_\_\_ Hoffmann's Woodpecker *Melanerpes hoffmannii*

\_\_\_ Pale-billed Woodpecker *Campephilus guatemalensis*

\_\_\_ Lineated Woodpecker *Dryocopus lineatus*

\_\_\_ Rufous-winged Woodpecker *Piculus simplex*

### Falcons and Caracaras

\_\_\_ Laughing Falcon *Herpetotheres cachinnans*

\_\_\_ Collared Forest-Falcon *Micrastur semitorquatus*

\_\_\_ Crested Caracara *Caracara plancus*

\_\_\_ Yellow-headed Caracara *Daptrius chimachima*

\_\_\_ Bat Falcon *Falco ruficularis*

\_\_\_ Peregrine Falcon *Falco peregrinus*

### Parrots, Parakeets, and Allies

\_\_\_ Orange-chinned Parakeet *Brotogeris jugularis*

\_\_\_ Brown-hooded Parrot *Pyrilia haematotis*

\_\_\_ White-crowned Parrot *Pionus senilis*

\_\_\_ Red-lored Amazon *Amazona autumnalis*

\_\_\_ White-fronted Amazon *Amazona albifrons*

\_\_\_ Mealy Amazon *Amazona farinosa*

\_\_\_ Orange-fronted Parakeet *Eupsittula canicularis*

\_\_\_ Scarlet Macaw *Ara macao*

\_\_\_ Crimson-fronted Parakeet *Psittacara finschi*

### Antbirds

\_\_\_ Barred Antshrike *Thamnophilus doliatus*

\_\_\_ Black-hooded Antshrike *Thamnophilus bridgesi*

\_\_\_ Russet Antshrike *Thamnistes anabatinus*

\_\_\_ Slaty Antwren *Myrmotherula schisticolor*

\_\_\_ Dot-winged Antwren *Microrhopias quixensis*

\_\_\_ Dusky Antbird *Cercomacroides tyrannina*

\_\_\_ Chestnut-backed Antbird *Poliocrania exsul*

\_\_\_ Bicolored Antbird *Gymnopithys bicolor*

### Antthrushes

\_\_\_ Black-faced Antthrush *Formicarius analis*

### Leaf-tossers and Miners

\_\_\_ Scaly-throated Leaf-tosser *Sclerurus guatemalensis*

### Woodcreepers

\_\_\_ Olivaceous Woodcreeper *Sittasomus griseicapillus*

\_\_\_ Piping Long-tailed Woodcreeper *Deconychura typica*

\_\_\_ Tawny-winged Woodcreeper

*Dendrocincla anabatina*

\_\_\_ Wedge-billed Woodcreeper

*Glyphorhynchus spirurus*

\_\_\_ Northern Barred-Woodcreeper

*Dendrocolaptes sanctithomae*

\_\_\_ Cocoa Woodcreeper *Xiphorhynchus susurrans*

\_\_\_ Streak-headed Woodcreeper

*Lepidocolaptes souleyetii*

### Ovenbirds

\_\_\_ Northern Plain-Xenops *Xenops mexicanus*

\_\_\_ Chiriqui Foliage-gleaner *Automolus exsertus*

### Manakins

\_\_\_ White-ruffed Manakin *Corapipo altera*

\_\_\_ Velvety Manakin *Lepidothrix velutina*

\_\_\_ Orange-collared Manakin *Manacus aurantiacus*

\_\_\_ Red-capped Manakin *Ceratopipra mentalis*

### Cotingas

\_\_\_ Rufous Piha *Lipaugus unirufus*

\_\_\_ Three-wattled Bellbird *Procnias tricarunculatus*

### Becards, Tityras, and Allies

\_\_\_ Black-crowned Tityra *Tityra inquisitor*

\_\_\_ Masked Tityra *Tityra semifasciata*

\_\_\_ Northern Schiffornis *Schiffornis veraepacis*

\_\_\_ Cinnamon Becard *Pachyramphus cinnamomeus*

\_\_\_ White-winged Becard *Pachyramphus polychopterus*

\_\_\_ Rose-throated Becard

*Pachyramphus aglaiae*

### Sharpbill, Royal Flycatchers, and Allies

\_\_\_ Tropical Royal Flycatcher

*Onychorhynchus coronatus*

\_\_\_ Ruddy-tailed Flycatcher

*Terenotriccus erythrurus*

\_\_\_ Sulphur-rumped Flycatcher *Myiobius sulphureipygius*

### Tyrant Flycatchers: Elaenias, Tyrannulets, and Allies

\_\_\_ Golden-crowned Spadebill

*Platyrinchus coronatus*

\_\_\_ Ochre-bellied Flycatcher *Mionectes*

*oleagineus*

\_\_\_ Common Tody-Flycatcher

*Todirostrum cinereum*

\_\_\_ Eye-ringed Flatbill *Rhynchocyclus*

*brevirostris*

\_\_\_ Yellow-olive Flatbill *Tolmomyias*

*sulphurescens*

\_\_\_ Yellow-bellied Tyrannulet *Ornithion*

*semiflavum*

\_\_\_ Southern Beardless-Tyrannulet

*Camptostoma obsoletum*

\_\_\_ Yellow Tyrannulet *Capsiempis*

*flaveola*

\_\_\_ Yellow-crowned Tyrannulet

*Tyrannulus elatus*

\_\_\_ Greenish Elaenia *Myiopagis viridicata*

\_\_\_ Yellow-bellied Elaenia *Elaenia*

*flavogaster*

\_\_\_ Mistletoe Tyrannulet *Zimmerius*

*parvus*

### Tyrant Flycatchers: Pewees, Kingbirds, and Allies

\_\_\_ Olive-sided Flycatcher *Contopus cooperi*

\_\_\_ Western Wood-Pewee *Contopus sordidulus*

\_\_\_ Northern Tropical Pewee *Contopus bogotensis*

\_\_\_ Eastern Wood-Pewee *Contopus virens*

\_\_\_ Western/Eastern Wood-Pewee

*Contopus sordidulus/virens*

\_\_\_ Yellow-bellied Flycatcher *Empidonax flaviventris*

\_\_\_ Acadian Flycatcher *Empidonax*

*virescens*

\_\_\_ Willow Flycatcher *Empidonax traillii*

- \_\_\_ Black Phoebe *Sayornis nigricans*
- \_\_\_ Bright-rumped Attila *Attila spadiceus*
- \_\_\_ Dusky-capped Flycatcher *Myiarchus tuberculifer*
- \_\_\_ Nutting's Flycatcher *Myiarchus nuttingi*
- \_\_\_ Great Crested Flycatcher *Myiarchus crinitus*
- \_\_\_ Brown-crested Flycatcher *Myiarchus tyrannulus*
- \_\_\_ Great Kiskadee *Pitangus sulphuratus*
- \_\_\_ Boat-billed Flycatcher *Megarynchus pitangua*
- \_\_\_ Social Flycatcher *Myiozetetes similis*
- \_\_\_ Gray-capped Flycatcher *Myiozetetes granadensis*
- \_\_\_ Streaked Flycatcher *Myiodynastes maculatus*
- \_\_\_ Sulphur-bellied Flycatcher *Myiodynastes luteiventris*
- \_\_\_ Piratic Flycatcher *Legatus leucophaeus*
- \_\_\_ Tropical Kingbird *Tyrannus melancholicus*

#### **Vireos**

- \_\_\_ Rufous-browed Peppershrike *Cyclarhis gujanensis*
- \_\_\_ Green Shrike-Vireo *Vireolanus pulchellus*
- \_\_\_ Ochre-crowned Greenlet *Tunchiornis ochraceiceps*
- \_\_\_ Lesser Greenlet *Pachysylvia decurtata*
- \_\_\_ Yellow-throated Vireo *Vireo flavifrons*
- \_\_\_ Philadelphia Vireo *Vireo philadelphicus*
- \_\_\_ Red-eyed Vireo *Vireo olivaceus*
- \_\_\_ Yellow-green Vireo *Vireo flavoviridis*

#### **Jays, Magpies, Crows, and Ravens**

- \_\_\_ Brown Jay *Cyanocorax morio*

#### **Martins and Swallows**

- \_\_\_ Mangrove Swallow *Tachycineta albilinea*
- \_\_\_ Gray-breasted Martin *Progne chalybea*
- \_\_\_ Northern Rough-winged Swallow *Stelgidopteryx serripennis*
- \_\_\_ Southern Rough-winged Swallow *Stelgidopteryx ruficollis*

- \_\_\_ Barn Swallow *Hirundo rustica*

#### **Gnatcatchers**

- \_\_\_ Long-billed Gnatwren *Ramphocaenus melanurus*
- \_\_\_ White-browed Gnatcatcher *Polioptila bilineata*
- \_\_\_ White-lored Gnatcatcher *Polioptila albiloris*

#### **Wrens**

- \_\_\_ Scaly-breasted Wren *Microcerculus marginatus*
- \_\_\_ Southern House Wren *Troglodytes musculus*
- \_\_\_ Rufous-backed Wren *Campylorhynchus capistratus*
- \_\_\_ Rufous-breasted Wren *Pheugopedius rutilus*
- \_\_\_ Banded Wren *Thryophilus pleurostictus*
- \_\_\_ Rufous-and-white Wren *Thryophilus rufalbus*
- \_\_\_ Riverside Wren *Cantorchilus semibadius*
- \_\_\_ White-breasted Wood-Wren *Henicorhina leucosticta*

#### **Thrushes**

- \_\_\_ Swainson's Thrush *Catharus ustulatus*
- \_\_\_ Wood Thrush *Hylocichla mustelina*
- \_\_\_ White-throated Thrush *Turdus assimilis*
- \_\_\_ Clay-colored Thrush *Turdus grayi*

#### **Finches, Euphonias, and Allies**

- \_\_\_ Scrub Euphonia *Euphonia affinis*
- \_\_\_ Yellow-crowned Euphonia *Euphonia luteicapilla*
- \_\_\_ Yellow-throated Euphonia *Euphonia hirundinacea*
- \_\_\_ Spot-crowned Euphonia *Euphonia imitans*

#### **New World Sparrows**

- \_\_\_ Orange-billed Sparrow *Arremon aurantirostris*

#### **Blackbirds**

- \_\_\_ Yellow-billed Caciue *Amblycercus holosericeus*
- \_\_\_ Montezuma Oropendola *Psarocolius montezuma*
- \_\_\_ Scarlet-rumped Caciue *Cacicus uropygialis*

- \_\_\_ Black-cowled Oriole *Icterus prothemelas*
- \_\_\_ Baltimore Oriole *Icterus galbula*
- \_\_\_ Red-winged Blackbird *Agelaius phoeniceus*
- \_\_\_ Giant Cowbird *Molothrus oryzivorus*
- \_\_\_ Melodious Blackbird *Dives dives*
- \_\_\_ Great-tailed Grackle *Quiscalus mexicanus*

#### **Wood-Warblers**

- \_\_\_ Louisiana Waterthrush *Parkesia motacilla*
- \_\_\_ Northern Waterthrush *Parkesia noveboracensis*
- \_\_\_ Golden-winged Warbler *Vermivora chrysoptera*
- \_\_\_ Black-and-white Warbler *Mniotilta varia*
- \_\_\_ Tennessee Warbler *Leiothlypis peregrina*
- \_\_\_ American Redstart *Setophaga ruticilla*
- \_\_\_ Bay-breasted Warbler *Setophaga castanea*
- \_\_\_ Northern Yellow Warbler *Setophaga aestiva*
- \_\_\_ Mangrove Yellow Warbler *Setophaga petechia*
- \_\_\_ Chestnut-sided Warbler *Setophaga pensylvanica*
- \_\_\_ Yellow-rumped Warbler *Setophaga coronata*
- \_\_\_ Buff-rumped Warbler *Myiothlypis fulvicauda*

#### **Cardinals, Grosbeaks, and Allies**

- \_\_\_ Summer Tanager *Piranga rubra*
- \_\_\_ Scarlet Tanager *Piranga olivacea*
- \_\_\_ Red-crowned Ant-Tanager *Habia rubica*
- \_\_\_ Rose-breasted Grosbeak *Pheucticus ludovicianus*
- \_\_\_ Blue-black Grosbeak *Cyanoloxia cyanoides*
- \_\_\_ Painted Bunting *Passerina ciris*

#### **Tanagers and Allies**

- \_\_\_ Gray-headed Tanager *Eucometis penicillata*
- \_\_\_ White-shouldered Tanager *Loriotus luctuosus*
- \_\_\_ White-throated Shrike-Tanager *Lanio leucothorax*

- \_\_\_ Scarlet-rumped Tanager *Ramphocelus passerinii*
- \_\_\_ Blue-gray Tanager *Thraupis episcopus*
- \_\_\_ Palm Tanager *Thraupis palmarum*
- \_\_\_ Golden-hooded Tanager *Stilpnia larvata*
- \_\_\_ Bay-headed Tanager *Tangara gyrola*
- \_\_\_ Scarlet-thighed Dacnis *Dacnis venusta*
- \_\_\_ Blue Dacnis *Dacnis cayana*
- \_\_\_ Shining Honeycreeper *Cyanerpes lucidus*
- \_\_\_ Red-legged Honeycreeper *Cyanerpes cyaneus*
- \_\_\_ Green Honeycreeper *Chlorophanes spiza*
- \_\_\_ Blue-black Grassquit *Volatinia jacarina*
- \_\_\_ Thick-billed Seed-Finch *Sporophila funerea*
- \_\_\_ Variable Seedeater *Sporophila corvina*
- \_\_\_ Morelet's Seedeater *Sporophila moreletii*
- \_\_\_ Bananaquit *Coereba flaveola*
- \_\_\_ Yellow-faced Grassquit *Tiaris olivaceus*
- \_\_\_ Buff-throated Saltator *Saltator maximus*
- \_\_\_ Cinnamon-bellied Saltator *Saltator grandis*

This field checklist was generated using eBird ([ebird.org](http://ebird.org))